

A  **ASIAN**

 **I** **INTERNATIONAL**

PIONEERS IN SAFETY EQUIPMENTS



**WE
PROTECT
YOU AT
WORK**

PRODUCT CATALOGUE

A  **ASIAN**
 **I** **INTERNATIONAL**
PIONEERS IN SAFETY EQUIPMENTS

ABOUT US

We at Asian International are a renowned exporter and suppliers of Personal Protective Equipment (PPE) which includes industrial gloves, shoes, garments, helmets, safety belts, nose masks, safety goggles etc..

We are currently catering to a wide range of industries including power, mining, automobile, construction, pharmaceutical, ceramic and textiles.

We have a team of dedicated working professionals who believe in exceeding customer expectations by meeting their individual needs.



**A I ASIAN
I INTERNATIONAL**
PIONEERS IN SAFETY EQUIPMENTS

**HAND
PROTECTION**

PRODUCT CATEGORIES



1. HAND PROTECTION	01-25
Seamless Knitted Gloves	02
Aramax™	04
Cut & Sewing Gloves	07
Duramax™	08
PU Coated Gloves	11
Nitrile Coated Gloves	12
Latex Coated Gloves	14
Summitech Hand Gloves	17
Supertouch™ Nitrile	18
Supertouch™ Latex	19
Supertouch™	20
Leather Gloves	21
Impact Resistance Gloves	23
Leather Garments	25



2. FEET PROTECTION	26-30
---------------------------	-------



3. BODY PROTECTION	31-41
Aluminised Garments	32
Industrial Garments	33
Fire Retardant Garment	34
Antistatic Garment	35
Jackets & T-Shirt	36
High Visible Work Wear	37
Apron and Arm Sleeves	38



4. HEAD PROTECTION	42-46
---------------------------	-------



5. FALL PROTECTION	47-63
Full Body Harness	47
Rope Grab Fall Arrestor	58
Retractable Fall Arrestor Blocks	60
Lanyards	61



6. RESPIRATORY PROTECTION	63-64
----------------------------------	-------



7. EYE & FACE PROTECTION	65
Safety Spectacles & Goggles	65
Face Shield	67



8. HEARING PROTECTION	68-69
------------------------------	-------

SEAMLESS KNITTED GLOVES

SGC 101



 Poly Cotton Knitted Hand Gloves

 35gm, 40gm, 50gm, 60gm, 70gm, 80gm, 90gm

 Natural, Navy Blue, Grey |  7G |  23cm - 25cm

SGC 102



 Poly Cotton Knitted Hand Gloves

 35gm, 40gm, 50gm |  Natural, Navy Blue, Grey

 10G |  23cm - 25cm

SGT 101



 100% Cotton Terry Knitted Hand Gloves

 Natural, Grey, Brown |  7G, 10G |  25cm, 30cm, 35cm

SGN 101



 Nylon Knitted Hand Gloves

 White, Navy Blue |  10G, 13G |  23cm - 25cm

SGP 101



 Polyester Knitted Hand Gloves

 White, Navy Blue |  10G, 13G |  23cm - 25cm

SEAMLESS KNITTED GLOVES

**ASIAN
INTERNATIONAL**
PIONEERS IN SAFETY EQUIPMENTS

SGH 101



High Tenacity Nylon Knitted Hand Gloves

White | 7G, 10G | 23cm - 25cm | 2

SGPL 101



Polyester Knitted Liner Hand Gloves

White, Black, Grey | 13G | 23cm - 25cm

SGCD 101



Poly Cotton Knitted Hand Gloves with Single Side PVC Dots

50gm, 60gm, 70gm, 80gm, 90gm

Natural, Navy Blue, Grey | 7G | 23cm - 25cm

SGCD 102



Poly Cotton Knitted Hand Gloves with Double Side PVC Dots

70gm, 80gm, 90gm, 100gm, 110gm

Natural, Navy Blue, Grey | 7G | 23cm - 25cm

SGPD 101



Polyester/Cotton Knitted Hand Gloves with Single Side PVC Dots

White, Navy Blue | 10G | 23cm - 25cm

SGK 201



Aramid Knitted Hand Gloves

50gm, 70gm | Yellow | 7G
23cm - 25cm | 2 | 50°C - 100°C

SGK 202



Aramid Knitted Hand Gloves

40gm, 50gm | Yellow | 10G
23cm - 25cm | 2 | 50°C - 100°C

SGKD 201



Aramid Knitted Hand Gloves with Single Side PVC Dots

60gm, 80gm | Yellow | 7G
23cm - 25cm | 2 | 50°C - 100°C

SGKD 202



Aramid Knitted Hand Gloves with Double Side PVC Dots

70gm, 90gm | Yellow | 7G
23cm - 25cm | 2 | 50°C - 100°C

SGKC 201

Product code- KYD11



Aramid Knitted Hand Gloves with Cotton Liner

Yellow | 7G
25cm, 30cm, 35cm | 2 | 100°C - 150°C

SGKT 201



Aramid Knitted Hand Gloves with Terry Cotton

Yellow | 10G
25cm, 30cm, 35cm | 2 | 150°C - 200°C

SGKL 201



Aramid Knitted Hand Gloves with Leather Patch on Palm

Yellow | 7G

23cm - 25cm | 2 | 50°C - 100°C

SGKL 202



Aramid Knitted Hand Gloves with Leather Patch between Thumb and Index Finger

Yellow | 7G

23cm - 25cm | 2 | 50°C - 100°C

SGKP 201



Aramid Knitted Hand Gloves with Pannox

Natural | 7G

23cm - 25cm | 2 | 200°C - 300°C

KSL 201



Aramid Knitted Hand Sleeves | Yellow | 7G, 10G, 13G

2 | 50°C - 100°C | 25cm, 30cm, 35cm, 40cm, 45cm, 50cm, 55cm

Single Layer / Double Layer | Type: With Thumb Cut / Without Thumb Cut

HRG 401



Aramid Hand Gloves with Chrome Leather on Cuff, Stitched with Aramid Thread

30cm, 35cm, 40cm, 45cm, 50cm, 55cm

300°C - 400°C

HRG 402



Aramid Hand Gloves with Chrome Leather on Cuff and Back, Stitched with Aramid Thread

30cm, 35cm, 40cm, 45cm, 50cm, 55cm

300°C - 400°C

HRG 403



Aramid Hand Gloves with Heat Resistant Leather on Cuff, Stitched with Aramid Thread

30cm, 35cm, 40cm, 45cm, 50cm, 55cm

400°C - 500°C

HRG 404



Aramid Hand Gloves with Heat Resistant Leather on Cuff and Back, Stitched with Aramid Thread

30cm, 35cm, 40cm, 45cm, 50cm, 55cm

400°C - 500°C

HRG 405



Aramid Hand Gloves Stitched with Aramid Thread

30cm, 35cm, 40cm, 45cm, 50cm, 55cm

400°C - 500°C

HRG 406



PBI Hand Gloves Stitched with Aramid Thread

30cm, 35cm, 40cm, 45cm, 50cm, 55

500°C - 800°C

HRG 407



Aluminised Hand Gloves with Heat Resistant Leather on Palm, Stitched with Aramid Thread

30cm, 35cm, 40cm, 45cm, 50cm, 55cm

300°C - 400°C

HRG 409



Heat Resistant Leather Hand Gloves Stitched with Aramid Thread

30cm, 35cm, 40cm, 45cm, 50cm, 55cm

200°C - 250°C

CUT AND SEWN GLOVES

CHG 301



100% Cotton Cut and Sewn Hand Gloves

Natural Bleached | 23cm - 25cm

Single Layer / Double Layer | Type: With Kail / Without Kail

PHG 301



100% Polyester Cut and Sewn Hand Gloves

White | 23cm - 25cm | Type: With Kail / Without Kail

AST 301



Anti Static Cut and Sewn Hand Gloves

White | 23cm - 25cm

AST 302



Anti Static Cut and Sewn Hand Gloves with PVC Dots

White | 23cm - 25cm

CCG 301



Cotton Canvas Cut and Sewn Hand Gloves

Natural | 25cm, 30cm, 35cm

SPL-L2-FC



Knitted Hand Gloves made with a Special Blend of HPPE yarn with Leather Patch on Palm

13G | 23cm - 25cm | 5

SPL-L-4



Knitted Hand Gloves made with a Special Blend of HPPE yarn with Leather Patch on Palm and Safety Cuff

13G | 30cm, 35cm | 5

SYN-CUT-5



Knitted Hand Gloves made with a Special Blend of HPPE yarn

13G | 23cm - 25cm | 5

SYN-ST-CUT-5



Hand Sleeves made with a Special Blend of HPPE Yarn

13G | 25cm, 30cm, 35cm, 40cm, 45cm, 50cm, 55cm

5 | Type: With Thumb Cut / Without Thumb Cut

CRG-01



Hand Gloves made from Steel Wire

S, M, L, XL | Blade Cut Resistance

PU/700-3



PU Coated Hand Gloves. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 3 | Black, Grey

PU/700-5



With Extra Reinforcement

PU Coated Hand Gloves. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 5 | Black, Grey

NBR/722-5



Nitrile Coated Hand Gloves. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 5 | Black

NBR/722-5-F



Foam Nitrile Coated Hand Gloves. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 5 | Black

NBR/722-5-S



Foam Nitrile Coated Hand Gloves with Sandy Finish. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 5 | Black

NBR/722-5-S-BLU/BK



Foam Nitrile Coated Hand Gloves with Sandy Finish along with an extra coating of Blue Nitrile. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 5 | Black

NBR/723-5



With Extra Reinforcement

Nitrile Coated Hand Gloves. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 5 | Black

NBR/723-5-F



With Extra Reinforcement

Foam Nitrile Coated Hand Gloves. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 5 | Black

NBR/723-5-S



With Extra Reinforcement

Foam Nitrile Coated Hand Gloves with Sandy Finish. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 5 | Black

NBR/723-5-S-BLU/BK



Foam Nitrile Coated Hand Gloves with Sandy Finish along with an extra coating of Blue Nitrile. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 5 | Black

LT/700-5



Wrinkle Latex coated Hand Gloves. Liner made of Special Blend of HPPE Yarn

13G | S, M, L, XL | 5 | Black

PU COATED HAND GLOVES

PU/700



PU Coated Hand Gloves. Liner made of 100% Polyester Yarn
 13G | S, M, L, XL | White, Black, Grey

PU/700-F3



PU Coated Hand Gloves with Better Grip. Liner made of 100% Polyester Yarn
 13G | S, M, L, XL | White

PU/700-AST



PU Coated Hand Gloves with Antistatic Properties. Liner made of 100% Polyester Yarn
 13G | S, M, L, XL | White

PU/700-FT



PU Coating on Finger Tips on 100% Polyester Knitted Hand Gloves
 13G | S, M, L, XL | White

NITRILE COATED HAND GLOVES

NBR/721



- Nitrile Coated Hand Gloves. Liner made of 100% Polyester Yarn
- White/Grey, White/Yellow, Black/Black
- 13G | S, M, L, XL

NBR/721-HD



- Nitrile Coated Hand Gloves Half Dipped. Liner made of 100% Polyester Yarn
- White/Grey, White/Yellow, Black/Black
- 13G | S, M, L, XL

NBR/721-FD



- Nitrile Coated Hand Gloves Full Dipped. Liner made of 100% Polyester Yarn
- White/Grey, White/Yellow, Black/Black
- 13G | S, M, L, XL

NBR/721-F



- Foam Nitrile Coated Hand Gloves. Liner made of 100% Polyester Yarn
- White/Grey, White/Yellow, Black/Black
- 13G | S, M, L, XL

NBR/721-FT



Double Fingertip Coating

- Nitrile Coated Hand Gloves with Double Coating on Fingertips. Liner made of 100% Polyester Yarn
- White/Grey, White/Yellow, Black/Black
- 13G | S, M, L, XL

NITRILE COATED HAND GLOVES

NTR/704-LHKY



Nitrile Coated Hand Gloves Half Dipped on Cotton Liner with Knitted Wrist
Yellow | S, M, L, XL

NTR/706-LHKB



Nitrile Coated Hand Gloves Half Dipped on Cotton Liner with Knitted Wrist
Yellow | S, M, L, XL

NTR/707-LFKB



Nitrile Coated Hand Gloves Full Dipped on Cotton Liner with Knitted Wrist
Blue | S, M, L, XL

NTR/701-HHCB



Nitrile Coated Hand Gloves Half Dipped on Cotton Liner with Cuff Wrist
Blue | S, M, L, XL

NTR/711-HFCB



Nitrile Coated Hand Gloves Full Dipped on Cotton Liner with Cuff Wrist
Blue | S, M, L, XL

NTR/712 GAUNLET



Nitrile Coated Hand Gloves on Full Cotton Interlock Liner
Yellow | S, M, L, XL

LATEX COATED HAND GLOVES



LT/700



Wrinkle Latex Coated Hand Gloves. Liner made of 2 ply Poly Cotton Yarn

Grey/Blue, Yellow/Orange, Yellow/Green, Yellow/Blue

10G | S, M, L, XL



LT/700-GR



Wrinkle Latex Coated Hand Gloves. Liner made of 5 ply Poly Cotton Yarn

Grey/Blue, Yellow/Orange, Yellow/Green, Yellow/Blue

10G | S, M, L, XL



LT/700-HD



Wrinkle Latex Coated Hand Gloves Half Dipped. Liner made of 2 ply Poly Cotton Yarn

Grey/Blue, Yellow/Orange, Yellow/Green, Yellow/Blue

10G | S, M, L, XL



LATEX COATED HAND GLOVES

LT/713



COLOUR AVAILABLE



Red/ Black

Black/ Black

Wrinkle Latex Coated Hand Gloves.
Liner made of 100% Polyester Yarn 13G S, M, L, XL

LT/713-F



COLOUR AVAILABLE



Red/ Black

Black/ Black

Latex Foam Coated Hand Gloves.
Liner made of 100% Polyester Yarn 13G S, M, L, XL

GLOVES PERFORMANCE CHART

CHEMICAL TESTED	COMMONLY FOUND IN	LATEX	NITRILE
Acetic Acid	Vinegar	E	LT / 700
Acetone	Nail polish remover	E	P
Ammonium Hydroxide 29%	Cleaning solutions	E	E
2- Butoxyethanol	Industrial dry cleaning solutions	E	E
Carbolic Acid	Cleaning and disinfecting solutions	E	NT
m-Cresol (3-Cresol)	Cleaning and disinfecting solutions	E	F
Cyclohexane	Paint remover	NT	E
Dimethyl Sulfoxide (DSMO)	Varnish remover and veterinary use	E	G
Ethanol	Beer, wine and liquor	E	E
2-Ethoxyethanol	Varnish remover and cleaners	E	E
Ethylene Glycol	Antifreeze	E	E
Gasoline	Fuel	NT	E
Heptane	Antiknock	NT	E
Hexane	Blue or red fluid in thermometers	NT	E
Hydrazine	Rocket fuel	E	E
Hydrofluoric acid 48% (HF)	Glass polish and wood preservative	E	E
Isobutyl Alcohol	Paint and varnish remover	NT	E
Isopropanol (IPA)	Rubbing alcohol	E	E
Isopropyl Alcohol	Rubbing alcohol	E	E
Kerosene	Fuel	NT	E
Methanol	Windshield wiper fluid, wood alcohol	E	E
Mineral spirits	Mineral, oil, baby oil	NT	E
Nitrobenzene	Shoe polish	NT	E
Phenol SAT	Cleaning and disinfecting solutions	E	E
Phosphoric Acid 85%	Dental preparations	E	E
Potassium Hydroxide 50%	Drain cleaners	E	E
Sodium Hydroxide 50%	Eye, drain cleaner	E	E
Toluene (TOLUO)	Gas additive and fuel	NT	P
Turpentine	Varnish remover and thinner	NT	E
Sulphuric Acid (75-100 %)	Fertilizers and Batteries	P	F
Hydrochloric Acid (100 %)	Vinyl chloride	E	P

PERFORMANCE RATING KEY : E - Excellent, G - Good, F - Fair, P - Poor, NT - Not Tested



GT-F-07C

Specification & Packaging

Product Description:	Unsupported Nitrile Flocklined Gloves
Non-Slip Grip:	Pebble
Cuff:	Straight
Colour:	Green
Length:	330mm
Thickness:	0.38mm
Glove Size:	7, 8, 9, 10 & 11
Packaging:	Pair packed 12 pairs per bundle and 10 bundles per master carton. (L: 400 mm x W: 260 mm x H: 290 mm)

Applications

Mechanical Work
Degreasing
Wood treatment and finishing
Industrial maintenance
Handling of greasy and oil parts
Chemical processing
Car and motorcycle industries
Handling of pesticides

Standards



GT-F-09C

Specification & Packaging

Product Description:	Unsupported Nitrile Flocklined Gloves
Non-Slip Grip:	Diamond
Cuff:	Straight
Colour:	Green
Length:	330mm
Thickness:	0.38mm
Glove Size:	7, 8, 9, 10 & 11
Packaging:	Pair packed 12 pairs per bundle and 10 bundles per master carton. (L: 400 mm x W: 260 mm x H: 290 mm)

Applications

Chemical processing and preparation
Petrochemical and painting industry
Automotive and supply industry
Agrochemicals
Food handling and processing
General janitorial and cleaning



Standards



SUMMITECH HAND GLOVES



NP-F-07

Specification & Packaging

Product Description:	Unsupported Chloroprene (Neoprene) Flocklined Gloves
Non-Slip Grip:	Pebble
Cuff:	Straight
Colour:	Dark Blue
Length:	330mm
Thickness:	0.75mm
Glove Size:	7, 8, 9, 10 & 11
Packaging:	Pair packed 12 pairs per bundle and 10 bundles per master carton. (L: 400 mm x W: 260 mm x H: 410 mm) (Size: 7 & 8) (L: 400 mm x W: 280 mm x H: 440 mm) (Size: 9, 10 & 11)

Applications

- Mechanical Work
- Degreasing
- Wood treatment and finishing
- Industrial maintenance
- Handling of greasy and oil parts
- Chemical processing
- Car and motorcycle industries
- Handling of pesticides

Standards



SUPERTOUCHE™ NITRILE

GT-R-01



Nitrile Flocklined Hand Gloves

Green | 8, 9, 10 | 15 Mils

NTR 501



Nitrile Disposable Hand Gloves

Blue | 8, 9, 10 | 3 Mils

LTX 501



☑ Latex Rubber Flocklined Hand Gloves

⌚ 40gm, 60gm, 90gm, 120gm

🌀 Orange, Yellow, Blue, Red | 📏 S, M, L, XL

LTX 502



☑ Latex Disposable Hand Gloves

⌚ 3 Mils | 🌀 Natural

📏 S, M, L, XL | **Type:** Powdered / Powder Free

LTX 503



☑ Latex Examination Hand Gloves

⌚ 3 Mils | 🌀 Natural

📏 S, M, L, XL | **Type:** Powdered / Powder Free

LTX 504



☑ Electrical Rubber Hand Gloves

📏 S, M, L, XL | 🌀 Orange | **Type:** 5kv, 11kv, 33kv

PVC 501



 Dual Coated PVC Flocklined Hand Gloves
 Blue |  S, M, L, XL

VIN 501



 Unsupported Vinyl Hand Gloves
 Natural |  S, M, L, XL

PGS 501



 Poly Hand Gloves
 Natural

EVA 501



 EVA Hand Gloves
 Natural |  S, M, L, XL | **Type:** Sterilised / Non Sterilised

LEATHER HAND GLOVES

LG 601

Product code- L/004



Split Canadian Leather Hand Gloves with Canvas Cloth on back and Safety Cuff

Red, Yellow, Blue | 9, 10

LG 602

Product code- L/005



Split Canadian Leather Hand Gloves with Reinforcement on Palm, Canvas Cloth on back and Safety Cuff

Red, Yellow, Blue | 9, 10

LG 603

Product code- L/007



Chrome Canadian Leather Hand Gloves with Canvas Cloth on back and Safety Cuff

Red, Yellow, Blue | 9, 10

LG 604

Product code- L/012



Split Leather Welding Hand Gloves

Natural | 30cm, 35cm, 40cm, 45cm

LG 605



Split Leather Driving Hand Gloves

Natural | 9, 10

LG 606

Product code- NiL/032



Combination Driving Hand Gloves with Back of Split Leather and Palm of Chrome Leather

Natural | 9, 10

LEATHER HAND GLOVES

LG 606/C

Product code- NLU034



Chrome Leather Driving Hand Gloves

Natural | 9, 10

LG 607

Product code- NLU025



Yellow Split Leather Welding Hand Gloves with Cotton Lining

Yellow | 30cm, 35cm, 40cm, 45cm

LG 608

Product code- NLU025



Red Split Leather Welding Hand Gloves with Cotton Lining

Red | 30cm, 35cm, 40cm, 45cm

LG 609

Product code- L015



Combination Leather Welding Hand Gloves. Back of Split Leather and Palm of Chrome Leather

Natural | 30cm, 35cm, 40cm, 45cm

LG 612



Leather Canvas Hand Gloves

Natural | 30cm, 35cm, 40cm, 45cm

IMPACT RESISTANCE GLOVES

NEW ARRIVAL

PU/700-5/TPR

PU Coated Hand Gloves. Liner made of Green Colour Special Blend of HPPE Yarn with TPR on the back for Impact Resistance

13G

S, M, L, XL

5



NEW ARRIVAL

NBR/723-5-F/TRP/GR

Foam Nitrile Coated Hand Gloves. Liner made of Green Colour Special Blend of HPPE Yarn with TPR on the back for Impact Resistance

13G

S, M, L, XL

5



NEW ARRIVAL

NBR/723-5-S/TPR

Foam Nitrile Coated Hand Gloves with Sandy Finish. Liner made of Special Blend of HPPE Yarn with TPR on the back for Impact Resistance

13G

S, M, L, XL

5



IMPACT RESISTANCE GLOVES

NEW ARRIVAL

NBR/723-5-S/TPR/OR

Foam Nitrile Coated Hand Gloves with Sandy Finish. Liner made of Orange Colour Special Blend of HPPE Yarn with TPR on the back for Impact Resistance

13G

S, M, L, XL

5



NEW ARRIVAL

NBR/716-S/TRP

Foam Nitrile Coated Hand Gloves with Sandy Finish. Liner made of Aramid Yarn with TPR on the back for Impact Resistance

13G

S, M, L, XL

5



NEW ARRIVAL

L/043/TPR

Chrome Leather Driving Hand Gloves With/Without Cut Resistance. Liner with TPR on the back for Impact Resistance

S, M, L, XL

5



LEATHER GARMENTS

LG-613



 Apron made from Leather
 Natural, Yellow |  24" / 36"

LG-614



 Leg Guard made from Leather
 Natural, Yellow |  S, M, L, XL

LG-615



 Arm Sleeves made from Leather
 Natural, Yellow |  S, M, L, XL

LG-616



 Leather Jacket
 Natural |  S, M, L, XL

FEET PROTECTION



PIKE™



IS 15298 : PART 2 : 2016
CM/L - 930051510



EN ISO 20345:2011



UPPER	: Chrome Tanned, Barton Printed Leather
SOLE	: Single Density PU
TOE CAP	: 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
SIZE	: 5 to 12





IS 15298 : PART 2 : 2016
C.M.L. - 9300051510



EN ISO 20345:2011

**ASIAN
INTERNATIONAL**

PIONEERS IN SAFETY EQUIPMENTS

SLING™



UPPER : Chrome Tanned, Barton Printed Leather
SOLE : Single Density PU
TOE CAP : 100 Joules Steel Toe Cap
SIZE : 5 to 12

CONQUER™ OXFORD



UPPER : Chrome Tanned, Barton Printed Leather
SOLE : Single Density PU
TOE CAP : 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
SIZE : 5 to 12

ROCK™ LADY



UPPER : Chrome Tanned, Barton Printed Leather
SOLE : Single Density PU
TOE CAP : 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
SIZE : 3 to 6

CONQUER™ DOUBLE DENSITY



UPPER : Chrome Tanned, Alabama Printed Grain Leather
SOLE : Double Density PU
TOE CAP : 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
SIZE : 5 to 12





IS 15298 : PART 2 : 2018
C.M.L. - 9300951510



EN ISO 20345:2011

ASTRA™ SINGLE DENSITY



UPPER	: Chrome Tanned, Barton Printed Grain Leather
SOLE	: Single Density PU
TOE CAP	: 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
SIZE	: 5 to 12

ASTRA™ DOUBLE DENSITY



UPPER	: Chrome Tanned, Barton Printed Grain Leather
SOLE	: Double Density PU
TOE CAP	: 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
SIZE	: 5 to 12

TRIDENT™ SINGLE DENSITY



UPPER	: Chrome Tanned, Barton Printed Grain Leather
SOLE	: Single Density PU
TOE CAP	: 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
SIZE	: 5 to 12

TRIDENT™ DOUBLE DENSITY



UPPER	: Chrome Tanned, Barton Printed Grain Leather
SOLE	: Double Density PU
TOE CAP	: 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
SIZE	: 5 to 12





IS 15298 : PART 2 : 2016
CML - 9300051510



EN ISO 20345:2011

ZUHA™ SINGLE DENSITY



- UPPER : Chrome Tanned, Alabama Printed Grain Leather
- SOLE : Single Density PU
- TOE CAP : 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
- SIZE : 5 to 12

ZUHA™ DOUBLE DENSITY



- UPPER : Chrome Tanned, Alabama Printed Grain Leather
- SOLE : Double Density PU
- TOE CAP : 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
- SIZE : 5 to 12

CONQUER™ OXFORD HIGH CUT



- UPPER : Chrome Tanned, Barton Printed Leather
- SOLE : Single Density PU
- TOE CAP : 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
- SIZE : 5 to 12

CONQUER™ PLUS



- UPPER : Chrome Tanned, Barton Printed Grain Leather
- SOLE : Single Density PU or Double Density PU
- TOE CAP : 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
- SIZE : 5 to 12

CONQUER™ NITRILE



- UPPER : Chrome Tanned, Barton Printed Grain Leather
- SOLE : Rubber Nitrile Sole, Temperature Resistant up to 300°C
- TOE CAP : 200 Joules EN Steel Toe Cap. Available in Fibre Toe or Composite Toe
- SIZE : 5 to 12

ROCK™



- UPPER : Chrome Tanned, Barton Printed Leather
- SOLE : Directly Injected PVC
- TOE CAP : 100 Joules Steel Toe Cap
- SIZE : 6 to 10

STONE™



- UPPER : Synthetic Artificial Printed Micro Leather
- SOLE : Directly Injected PVC
- TOE CAP : 100 Joules Steel Toe Cap
- SIZE : 6 to 10

GUMBOOT™



- UPPER : Soft Polyvinyl Chloride With/Without Heavy Duty Cotton Lining
- SOLE : Directly Injected PVC
- TOE CAP : 100 Joules Steel Toe Cap
- LENGHT : 11 inches, 13 inches and 15 inches
- SIZE : 7 to 10



**A I ASIAN
INTERNATIONAL**
PIONEERS IN SAFETY EQUIPMENTS

**BODY
PROTECTION**

ALUMINISED GARMENTS

ALU-702



Full body aluminized suit two pieces stitched with kevlar thread.

SIZE : S, M, L, XL

ALU-703



Aluminized apron stitched with kevlar thread.

SIZE : 24 in X 36 in

ALU-704



Aluminized gloves stitched with kevlar thread.

SIZE : 30 cm - 40 cm

ALU-705



Complete aluminized hood stitched with kevlar thread.

SIZE : S, M, L, XL

ALU-706



Aluminized shoe stitched with kevlar thread.

SIZE : S, M, L, XL



CT-801



Boiler suit made from cotton drill fabric.

SIZE : S, M, L, XL

COLOUR : Orange, Blue

QUALITY : 210 GSM, 240 GSM

CT-803 & CT-804



Jacket and Trouser made from cotton drill fabric.

SIZE : S, M, L, XL

COLOUR : Orange, Blue

QUALITY : 210 GSM, 240 GSM

CT-805



Long coat made from cotton drill fabric.

SIZE : S, M, L, XL

COLOUR : Orange, Blue

QUALITY : 210 GSM, 240 GSM

CT-806



Garments made from cotton drill fabric with reflective tapes.

SIZE : S, M, L, XL

COLOUR : Orange, Blue

QUALITY : 210 GSM, 240 GSM

FIRE RETARDANT GARMENTS

FR-901

Boiler suit made from flame retardant fabric.

SIZE : S, M, L, XL

COLOUR : Orange, Blue

QUALITY : 400 GSM



FR-903 & FR-904

Jacket and Trouser made from flame retardant fabric.

SIZE : S, M, L, XL

COLOUR : Orange, Blue

QUALITY : 400 GSM

FR-905

Long coat made from flame retardant fabric.

SIZE : S, M, L, XL

COLOUR : Orange, Blue

QUALITY : 400 GSM



ANTISTATIC GARMENTS

AST-1101



Boiler suit made overall.

SIZE : S, M, L, XL

COLOUR : Natural, Blue

AST-1102



Jacket & trouser made from antistatic fabric.

SIZE : S, M, L, XL

COLOUR : Natural, Blue

AST-1103



Long coat made from antistatic fabric.

SIZE : S, M, L, XL

COLOUR : Natural, Blue

AST-1104



Antistatic Cap

SIZE : S, M, L, XL

COLOUR : Natural, Blue

AST-1105



Antistatic Shoe

SIZE : S, M, L, XL

COLOUR : Natural, Blue

JACKETS & T-SHIRTS

G-1201



Cotton Round Neck T-shirt.

SIZE : S, M, L, XL

COLOUR : Any

G-1202



Cotton Collar T-shirt.

SIZE : S, M, L, XL

COLOUR : Any

G-1203



Cotton Shirt

SIZE : S, M, L, XL

COLOUR : Any

G-1204



Polyester Lint free Jacket Trouser.

SIZE : S, M, L, XL

COLOUR : Any

REFLECTIVE JACKETS



FABRIC : Background Fabric 100% plain polyester
COLOUR : Fluorescent Orange, Green, Yellow
REFLECTIVE TAPE : PVC tape /3M Scotchlite
TAPE WIDTH : 1" or 2"
STYLE : 2 side open Vest
APPLICATION : Traffic, Construction, Transportation,
Warehousing, Distribution.

3 SIDE OPEN REFLECTIVE VESTS



FABRIC : Background Fabric 100% plain polyester
COLOUR : Fluorescent Orange, Green, Yellow
REFLECTIVE TAPE : PVC tape /3M Scotchlite
TAPE WIDTH : 1" or 2"
STYLE : 3 side open Vest
APPLICATION : Traffic, Construction, Transportation,
Warehousing, Distribution.

CROSS BELT



FABRIC : Background Fabric 100% plain polyester
COLOUR : Fluorescent Orange, Green, Yellow
REFLECTIVE TAPE : PVC tape /3M Scotchlite
TAPE WIDTH : 2"
STYLE : 2 side open Vest
APPLICATION : Traffic, Construction, Transportation,
Warehousing, Distribution.

APRONS

APR-1301



Apron made from Cotton Drill Fabric

COLOUR : Orange, Blue

QUALITY : 210 GSM, 240 GSM

APR-1302



Apron made from Fire Retardant Fabric

COLOUR : Orange, Blue

QUALITY : 400 GSM

APR-1303



Apron made from Cotton Drill Fabric and Leather

COLOUR : Orange, Blue

SIZE : 24" X 36"

QUALITY : 210 GSM, 240 GSM

APRONS

APR-1304



Apron made from Aramid Fabric
COLOUR : Natural
SIZE : 24" X 36"

APR-1305



Apron made from Nomex Fabric
COLOUR : Orange, Blue
SIZE : 24" X 36"

APR-1306



Apron made from PVC Fabric
COLOUR : Yellow
SIZE : 24" X 36"

ARM SLEEVES

ASL-1301



Arm Sleeves made from Fire Retardant Fabric.

COLOUR : Orange, Blue

QUALITY : 400 GSM

ASL-1302



Arm Sleeves made from Denim Fabric.

COLOUR : Natural

SIZE : S, M, L, XL

ASL-1303



Arm Sleeves made from 100% Cotton Yarn.

COLOUR : Natural, Navy Blue, Grey

SIZE : 10", 12", 14", 16", 18"



ARM SLEEVES

KSL 201



Aramid Knitted Hand Sleeves.

COLOUR : Yellow

SIZE : 25cm, 30cm, 35cm, 40cm, 45cm, 50cm, 55cm

ASL-1304



Arm Sleeves made from Cotton Drill Fabric.

COLOUR : Orange, Blue

QUALITY : 210 GSM, 240 GSM

SYN-ST-CUT-5



Hand Sleeves made with a Special Blend of HPPE Yarn.

COLOUR : Grey

SIZE : 25cm, 30cm, 35cm, 40cm, 45cm, 50cm, 55cm

HEAD PROTECTION



6000 SERIES SAFETY HELMET



6000 R

IS 2925:1984 & EN 397:2012+A1:2012

ACCESSORIES:

- Replacement headgear (Ratchet /Slip on)
- Plastic/Textile cradle and high quality absorbent sweatband (Replaceable) Chin Strap

COLOUR OPTION:



6000



Back View



Inside View



Textile Cradle



Ratchet Fitting



Pin Lock Fitting





IS 15298 : PART 2 : 2018
CML - 9300091510



EN ISO 20345:2011

6000V SERIES SAFETY HELMET

IS 2925:1984 & EN 397:2012+A1:2012

ACCESSORIES:

- Replacement headgear (Ratchet /Slip on)
- Plastic/Textile cradle and high quality absorbent sweatband (Replaceable) Chin Strap

COLOUR OPTION:



6000 VR

6000 V

6000 VR

With High Visibility tape



Back View



Inside View



Textile Cradle



Ratchet Fitting



Pin Lock Fitting

7000 SERIES SAFETY HELMET

7000 R

With High Visibility tape



STANDARD CONFORM:

IS 2925:1984 & EN 397:2012+A1:2012

ACCESSORIES:

- Ratchet headgear
- Plastic/Textile cradle and high quality absorbent sweatband (Replaceable) Chin Strap

COLOUR OPTION:



Front View



Back View



Inside View





IS 15298 : PART 2 : 2016
CML - 9300051910



EN ISO 20345:2011

7000V SERIES SAFETY HELMET

STANDARD CONFORM:

IS 2925:1984 & EN 397:2012+A1:2012

ACCESSORIES:

- Ratchet headgear
- Plastic/Textile cradle and high quality absorbent sweatband (Replaceable) Chin Strap

COLOUR OPTION:



Front View

Back View

Inside View

7000 VR

With High Visibility Tape



8000 SERIES SAFETY HELMET

8000 R



STANDARD CONFORM:

IS 2925:1984 & EN 397:2012+A1:2012

ACCESSORIES:

- Ratchet headgear
- Textile cradle and high quality absorbent sweatband (Replaceable) Chin Strap

COLOUR OPTION:



Front View

Back View

Inside View





IS 15298 : PART 2 : 2016
C/M/L - 9300051510



EN ISO 20345:2011

9000 SERIES SAFETY HELMET

STANDARD CONFORM:

IS 2925:1984 & EN 397:2012+A1:2012

ACCESSORIES:

- Ratchet headgear
- Textile cradle and high quality absorbent sweatband (Replaceable) Chin Strap

COLOUR OPTION:



Front View

Back View

Inside View



ECOSAFE HELMET

STANDARD CONFORM:

IS 2925:1984

ACCESSORIES:

- Replacement headgear (Slip on Type)
- Plastic cradle high quality absorbent sweatband (Replaceable) Chin Strap

COLOUR OPTION:



Front View

Back View

Inside View

Pin Lock Fitting



LOAD CARRYING HELMET

ACCESSORIES:

- Replacement headgear (Cotton/ Polyester) Chin Strap,
Miners Lamp Bracket & Cable Clip

COLOUR OPTION:



BUMP CAP

STANDARD CONFORM:
EN 812:2012

ACCESSORIES:

- Replaceable cotton/ Poly cotton upper cover

COLOUR OPTION:





A **ASIAN**
I **INTERNATIONAL**
PIONEERS IN SAFETY EQUIPMENTS

**FALL
PROTECTION**

SFH 01

FEATURES:

- Basic full body harness
- Single Dorsal attachment D-ring
- Adjustable thigh strap
- Adjustable chest strap
- Ideally positioned pelvic strap for long time work

APPLICATION:

For those who prefer a full body harness to protect against falls & to support the body during or after fall.

STANDARD CONFORM:

ISI marked. IS 3521:1999. Class A.



SFH 02

FEATURES:

- Single Dorsal attachment D-ring
- One D-ring at sternal point for descend purpose
- Adjustable thigh strap
- Adjustable chest strap
- Ideally positioned pelvic strap for long time work

APPLICATION:

For suspension job or controlled descend from a height or to support the body during or after fall.

STANDARD CONFORM:

ISI marked. IS 3521:1999. Class D.



SFH 03

FEATURES:

- Single Dorsal attachment D-ring
- One D-ring at sternal point for descend purpose
- Two metallic D-rings at shoulder strap for entry and exit in to a confined space or for rescue purpose
- Adjustable thigh strap
- Adjustable chest strap
- Ideally positioned pelvic strap for long time work

APPLICATION:

For suspension job or controlled descend from a height & for entry and exit into a confined space and for rescue purpose.

STANDARD CONFORM:
IS 3521:1999. Class E.



SFH 04

FEATURES:

- Single Dorsal attachment D-ring
- Two front attached D-rings at each shoulder strap for entry and exit into a confined space or for rescue purpose, also for fall arrest system
- Adjustable thigh strap
- Adjustable chest strap
- Ideally positioned pelvic strap for long time work

APPLICATION:

Ideal for use with guided type fall arrester. Suitable for construction, tower or ladder job.

STANDARD CONFORM:
IS 3521:1999. Class L.

SFH 05

FEATURES:

- Single Dorsal attachment D-ring
- Integrated with work positioning belt with 2 lateral D-ring
- Adjustable thigh strap
- Adjustable chest strap
- Ideally positioned pelvic strap for long time work

APPLICATION:

Ideal for use with guided type fall arrester. Suitable for tower or pole work and ladder job.

STANDARD CONFORM:
IS 3521:1999. Class P.



SFH 101

FEATURES:

- Economical, Versatile & Light in weight
- Wide, flexible, high-strength, fray proof, durable polyester webbing
- Fully adjustable shoulder, leg & chest straps for precise fit
- Dual color straps (yellow/black) that allow rapid identification of the upper and lower parts of the harness before donning. Yellow color for high visibility
- Single Dorsal D-ring as fall arrest

APPLICATION:

For those who prefer a full body harness to protect against falls & for all types of vertical recreational activities like tower or ladder job.

STANDARD CONFORM:
IS 3521:1999. Class A. EN361:2002.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



SFH 102

FEATURES:

- Economical, Versatile & Light in weight
- Wide, flexible, high-strength, fray proof, durable polyester webbing
- Fully adjustable shoulder, leg & chest straps for precise fit
- Dual color straps (yellow/black) that allow rapid identification of the upper and lower parts of the harness before donning. Yellow color for high visibility
- Dorsal D-ring as fall arrest and frontal rescue restraint textile loop attachment points

APPLICATION:

For those who prefer a full body harness to protect against falls & for all types of vertical recreational activities like tower or ladder job.

STANDARD CONFORM:

IS 3521:1999. Class L. EN361:2002.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



SFH 103

FEATURES:

- Economical, Versatile & Light in weight
- Wide, flexible, high-strength, fray proof, durable polyester webbing
- Fully adjustable shoulder, leg & chest straps for precise fit
- Dual color straps (yellow/black) that allow rapid identification of the upper and lower parts of the harness before donning. Yellow color for high visibility
- Single Dorsal D-ring as fall arrest

APPLICATION:

For those who prefer a full body harness to protect against falls & for all types of vertical recreational activities like tower or ladder job.

STANDARD CONFORM:

IS 3521:1999. Class L. EN361:2002.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



SFH 104

FEATURES:

- Economical, Versatile & Light in weight
- Wide, flexible, high-strength, fray proof, durable polyester webbing
- Fully adjustable shoulder, leg & chest straps for precise fit
- Dual color straps (yellow/black) that allow rapid identification of the upper and lower parts of the harness before donning. Yellow color for high visibility
- Dorsal D-ring as fall arrest and frontal rescue restraint textile loop attachment points

APPLICATION:

For those who prefer a full body harness to protect against falls for all types of vertical recreational activities.

STANDARD CONFORM:

IS 3521:1999, Class L, EN361:2002.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



SFH 105

FEATURES:

- Economical, Versatile & Light in weight
- Wide, flexible, high-strength, fray proof, durable polyester webbing
- Fully adjustable shoulder, leg & chest straps for precise fit
- Dual color straps (yellow/black) that allow rapid identification of the upper and lower parts of the harness before donning. Yellow color for high visibility
- Dorsal D-ring as fall arrest and one frontal D-ring at sternal point for descend purpose

APPLICATION:

For those who prefer a full body harness to protect against falls & for Fall arrest & controlled descend job.

STANDARD CONFORM:

IS 3521:1999, Class D, EN361:2002.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



SFH 106

FEATURES:

- Economical, Versatile & Light in weight
- Wide, flexible, high-strength, fray proof, durable polyester webbing
- Fully adjustable shoulder, leg & chest straps for precise fit
- Dual color straps (yellow/black) that allow rapid identification of the upper and lower parts of the harness before donning. Yellow color for high visibility
- Single Dorsal D-ring as fall arrest and two metallic D-rings at shoulder strap for entry and exit into a confined space or for rescue purpose
- Two chest attachment textile loop for fall arrest equipment

APPLICATION:

For those who prefer a full body harness to protect against falls & for fall arrest & controlled descend job.

STANDARD CONFORM:

IS 3521:1999, Class E, EN361:2002.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



SFH 107

FEATURES:

- Economical, Versatile & Light in weight
- Wide, flexible, high strength, fray proof durable polyester webbing
- Fully adjustable shoulder, leg & chest straps for precise fit
- Dual color straps (yellow/black) that allow rapid identification of the upper and lower parts of the harness before donning. Yellow color for high visibility
- Dorsal D-ring as fall arrest and two front attachment D-ring for fall arrest system on each shoulder
- Integrated with work positioning comfortable waist pad (optional) with 2 lateral D-ring

APPLICATION:

For those who prefer a full body harness to protect against falls for fall arrest & controlled descend job.

STANDARD CONFORM:

IS 3521:1999, Class P, EN361:2002, EN358:1999.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



SFH 108

FEATURES:

- These light in weight harnesses are designed for fall arrest
- Dual color straps that allow rapid identification of the upper and lower parts
- Single Dorsal attachment D-ring
- Single front attachment D-ring for guided type fall arrest system
- One D-ring at ventral point for rope access work
- Integrated with comfortable work positioned waistpad
- Incorporated with adjustable chest strap which ensures that the shoulder strap remains in position
- Waist pad included with two lateral D-ring and tool holder loop

APPLICATION:

Ideal for occasional users, Roofers, Window cleaners, Steel erectors and Scaffolders, Maintenance & Painting. Specially designed for rope access and rescue job. Very useful for the purpose of carrying out rescue of a fall victim by the descent.

STANDARD CONFORM:

IS 3521:1999, EN361:2002, EN358:1999, EN813:2008.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



SFH 109

FEATURES:

- Economical, Versatile & Light in weight
- Wide, flexible, high-strength, fray proof, durable polyester webbing
- Fully adjustable shoulder, leg & chest straps for precise fit
- Dual color straps (yellow/black) that allow rapid identification of the upper and lower parts of the harness before donning. Yellow color for high visibility
- Dorsal D-ring as fall arrest and two front attachment D-ring for fall arrest system on each shoulder

APPLICATION:


For rescue & positioning.

STANDARD CONFORM:

IS 3521:1999, EN361:2002, EN358:1999, EN813:2008.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



SWP 01

FEATURES:

- Economical, Versatile & Light in weight
- Wide, flexible, high-strength, fray proof, durable polyester webbing
- Anchor point : 2 lateral D-ring for work positioning
- One D-ring at ventral point for rope access work
- Soft comfortable padded waist belt and thigh pad for working in extended period of time
- Adjustable thigh strap

APPLICATION:

For rescue & positioning.

STANDARD CONFORM:

EN358:1999. EN813:2008.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



SWP 02

FEATURES:

- Economical, Versatile & Light in weight
- Wide, flexible, high-strength, fray proof, durable polyester webbing
- Work positioning waist belt with two lateral D-rings. Can be used in mining
- Soft comfortable padded waist belt and thigh pad for working in extended period of time
- Rear Ring provided for tool holders

APPLICATION:

For mountaineering, tree climbing, positioning & rope access.

STANDARD CONFORM:

EN358:1999. EN813:2008.

ACCESSORIES:

(Optional) Water Bottle Pouch, Tool Bag and Trauma Strap.



HOOKS/CONNECTORS

The Hooks/Connectors are an essential link in any vertical equipment kit. It is very strong when used correctly, but can break or come open if misused. Understanding the strengths and weaknesses of Hooks/Connectors allows the user to make the most suitable choice for each application.

A Connector is designed to be loaded on its major axis, with the gate closed and the sleeve locked.

Only the strength rating for the major axis with gate closed is suitable for the loads sustained by a Connector in vertical activities.

Loading a Connector in any other way can be dangerous.

SKH 21



Art No.	SKH 21
Material	Alloy steel
Gate opening	16 mm
Minimum breaking Strength	23 kN
Plating	Silver/Golden yellow chrome/ Zinc
Standard Conforms	EN 362:2004 Class B

SKH 21A



Art No.	SKH 21A
Material	Aluminium Alloy
Gate opening	18 mm
Minimum breaking Strength	23 kN
Plating	Natural Silver coloured, Anodized
Standard Conforms	EN 362:2004 Class M

HOOKS/CONNECTORS

SKH 20



Art No.	SKH 20
Material	Alloy steel
Gate opening	25 mm
Minimum breaking Strength	25 kN
Plating	Silver/Golden yellow chrome/ Zinc
Standard Conforms	EN 362:2004 Class B

SKH 22A



Art No.	SKH 22A
Material	Aluminium Alloy
Gate opening	25 mm
Minimum breaking Strength	22 kN
Plating	Natural Silver coloured, Anodized
Standard Conforms	EN 362:2004 Class M

SKH 31



Art No.	SKH 31
Material	Alloy steel
Gate opening	16 mm
Minimum breaking Strength	22 kN
Plating	Silver/Golden yellow Zinc/ chrome
Standard Conforms	EN 362:2004 Class B

SCH 50



Art No.	SCH 50
Material	Alloy steel
Gate opening	55 mm
Minimum breaking Strength	25 kN
Plating	Silver/Golden yellow Zinc/ chrome
Standard Conforms	EN 362:2004 Class T

ROPE GRAB FALL ARRESTER

A rope grab fall arrester is a simple device that travels along a lifeline. It works by preventing a worker from falling during ascent or descent. In the event of a fall, it immediately by its unique gravity locking mechanism, gets locked on to the life line(rope), hence arresting the fall. Rope used with all rope grabs must be the 14/16 mm diameter flexible polyamide rope. Ensure the rope grab is installed on the flexible rope in the correct orientation so the top of the device is installed pointing toward the anchor.

IMPORTANT INFORMATION

Guided type Fall Arrester:

Rope Grab Fall Arresters have a wide application of uses in fall arrest while climbing along with the ladder and in restraint while working on roof, platforms and in inclined planes. When a worker has to move up & down a certain level, and the fall clearance is very less, it is very dangerous in the event of a fall. The ideal device used for this purpose of restricting such fall is a Fall Arrester.

How to use:

The lead worker should carry one end of the life line along with him when he climbs up a ladder with the help of a forked Lanyard. And after reaching at the top, he should tie the end of the life line/rope in the form of a special knot to a suitable anchorage and then attach the Fall Arrester to the life line and climb down safely by help of it. The rope grab is now free to be used by any worker to frequently climb up or down the structure as required.

Anti Gravity Locking Mechanism

This unique system works with the help of gravitational force of our earth. This system also ensures that by mistake also one could not install the fall arrest device incorrectly to the life line.

SFA 1416R

Features:

- Guided type fall arrester
- Made of alloy steel
- In built gravity lock to prevent incorrect use
- In event of fall quickly grips the rope
- Equipped with double locking system
- Detachable from rope
- Works on 14 mm dia polyamide rope

Conforms to EN 353-2:2002

ORDERING INFORMATION

Description	Model/Art No.
Rope Grab Fall Arrester with Karabiner	SFA 14 16 R
Rope Grab Fall Arrester with Spacing Strap	SFA 14 16 RS
Rope Grab Fall Arrester with Energy Absorber	SFA 14 16 RE



ROPE GRAB FALL ARRESTER



SF-RGFA B20

Features:

- Guided type fall arrester
- Made of alloy steel
- In built gravity lock to avoid incorrect use
- In event of fall quickly grips the rope
- Detachable from rope
- Equipped with double security opening system
- Works on 14 mm dia polyamide rope
- Stationary locking facility

Conforms to EN 353-2:2002

ORDERING INFORMATION

Description	Model/Art No.
Rope Grab Fall Arrester with Karabiner	SFA 14 16 R
Rope Grab Fall Arrester with Spacing Strap	SFA 14 16 RS
Rope Grab Fall Arrester with Energy Absorber	SFA 14 16 RE

SFA W08

Features:

- Guided type fall arrester
- Made of alloy steel
- The rope lock fall arrester
- Cannot be opened from the rope, only inserted in the rope from the bottom end
- Works on 14 mm dia polyamide rope

Conforms to EN 353-2:2002

ORDERING INFORMATION

Description	Model/Art No.
Rope Grab Fall Arrester with Karabiner	SFA W08





SRFA-060W

- Features:
- Webbing type retractable fall arrester
 - Compact and light weight
 - Webbing width: 35 mm
 - Webbing length: 6 mtr
 - Minimum breaking strength: 20KN
 - Include with shock absorber and snap hook
 - Swivel type steel snap hook with fall indicator
 - P.P. Housing and Drum are durable and resistant to Corrosion
 - Maximum load capacity: 100 kg

Conforms to EN 360:2002. CE Marked.

SRFA-10

- Features:
- Steel cable self retractable fall arrester
 - Cable length: 10 mtr
 - Cable diameter: 4 mm
 - Housing: ABS casing
 - Maximum Capacity: 100 kg
 - Minimum breaking strength: 25 KN
 - Anchorage: Swivel-type snap hook
 - Includes conduit rope

Standard: EN 360:2002. CE Marked.



SRFA-15 / SRFA-20 / SRFA-25

- Features:
- Cable length available: 15 / 20 / 25 mtr
 - Cable diameter: 4 mm
 - Housing: ABS casing
 - Maximum Capacity: 100 kg
 - Minimum breaking strength: 25 KN
 - Anchorage: Swivel-type snap hook
 - Includes conduit rope

Standard: EN 360:2002. CE Marked.

CE EN 354:2010

SRL 50D



- Double 12mm Polyamide rope lanyard
- 1.8mm length
- Attached to the Safety Belt
- Double scaffolding hook
- Without Shock Absorber

SRL 50D/P



- Double 12mm Poly Propene rope lanyard
- 1.8mm length
- Attached to the Safety Belt
- Double scaffolding hook
- Without Shock Absorber

SRL 50D/B



- Double 10.5mm braided rope lanyard
- 1.8mm length
- Attached to the Safety Belt
- Double scaffolding hook
- Without Shock Absorber

SRL 50D/W



- Double 44mm webbing lanyard
- 1.8mm length
- Attached to the Safety Belt
- Double scaffolding hook
- Without Shock Absorber

LANYARDS

CE 355:2002 + VG11 PPE63

SFL D2150



- Double 12mm Polyamide lanyard
- 1.8mm length
- Attached to the Safety Belt
- Double scaffolding hook
- With Shock Absorber

SFL D2150P



- Double 12mm Poly Propene rope lanyard
- 1.8mm length
- Attached to the Safety Belt
- Double scaffolding hook
- With Shock Absorber

SFL D2150B



- Double 10.5mm braided lanyard
- 1.8mm length
- Attached to the Safety Belt
- Double scaffolding hook
- With Shock Absorber

SFL D2150W



- Double 44mm webbing lanyard
- 1.8mm length
- Attached to the Safety Belt
- Double scaffolding hook
- With Shock Absorber





**A I ASIAN
INTERNATIONAL**
PIONEERS IN SAFETY EQUIPMENTS

**RESPIRATORY
PROTECTION**

8801V



DESCRIPTION	MODEL NO.
Class FFP1 with easy breathing valve	8801V

8801



DESCRIPTION	MODEL NO.
Class FFP1 without easy breathing valve	8801

M-02 & M-03



DESCRIPTION	MODEL NO.
2 Ply Face Mask	M-02
3 Ply Face Mask	M-03

N95 & N95V



DESCRIPTION	MODEL NO.
Class FFP2 without easy breathing valve	N95
Class FFP2 with easy breathing valve	N95V

EYE PROTECTION



ASP 101

CE 0194

Frameless Stylish Polycarbonate eyewear with wrap around design.

- Optical class-I & Impact resistant level-F
- Anti-Scratch & Anti-Fog
- Single lens made from clear hard coated polycarbonate
- Meets or exceeds EN 166:2001 CE marked
- Gives 99.9% UV rays protection

Lens Colour Available:



CONSTRUCTION SITE



DUST SAND BLOWING



ASP 102

CE 0194

Frameless Stylish Polycarbonate eyewear with wrap around design.

Rubberised temple for extra comfort.

- Optical class-I & Impact resistant level-F
- Anti-Scratch & Anti-Fog
- Single lens made from clear hard coated polycarbonate
- Meets or exceeds EN 166:2001 CE marked
- Gives 99.9% UV rays protection

Lens Colour Available:



Rubberised Temple



CONSTRUCTION SITE



DUST SAND BLOWING



Adjustable temple



Side Splash Protection

ASP 103

CE 0194

Over the frame Polycarbonate eyewear with protection from side splash.

Adjustable temple with non-slip soft finish.

- Optical class-I & Impact resistant level-F
- Anti-Scratch & Anti-Fog
- Single lens made from clear hard coated polycarbonate
- Meets or exceeds EN 166:2001 CE marked
- Gives 99.9% UV rays protection

Lens Colour Available:



CONSTRUCTION SITE



DUST SAND BLOWING



Rubberised Temple



Rubberised Nose Bridge

ASP 104

CE 0194

Stylish Sport look Polycarbonate eyewear with Rubberised temple and nose bridge for extra comfort.

- Optical class-I & Impact resistant level-F
- Anti-Scratch & Anti-Fog
- Single lens of coated polycarbonate
- Meets or exceeds EN 166:2001 CE marked
- Gives 99.9% UV rays protection
- Meets high impact requirements of ANSI Z87.1-2010

Lens Colour Available:



CONSTRUCTION SITE



DUST SAND BLOWING



Side Air Ventilation



Slot for neck strap

ASP 105

CE 0194

Over the Spectacles Polycarbonate eyewear with integral ventilated side shield protection.

- Optical class-I & Impact resistant level-F
- Anti-Scratch & Anti-Fog
- Single lens of coated polycarbonate
- Meets or exceeds EN 166:2001 CE marked
- Gives 99.9% UV rays protection
- Meets high impact requirements of ANSI Z87.1-2010

Lens Colour Available:



CONSTRUCTION SITE



DUST SAND BLOWING



ASP 106

CE 0194

Panoramic goggles enhanced vision and comfortable fit.

Indirect ventilation for splash protection.

- High impact resistant
- Anti-Scratch & Anti-Fog
- Single lens of coated polycarbonate
- Meets or exceeds EN 166:2001 CE marked
- Give 99.9% UV rays protection
- Meets high impact requirements of ANSI Z87.1-2001

Lens Colour Available:



CONSTRUCTION SITE



DUST SAND BLOWING



ASP 107

CE 0194

Panoramic goggles enhanced vision and comfortable fit.

Indirect ventilation for splash protection.

- High impact resistant and chemical splashes
- Anti-Scratch & Anti-Fog
- Single lens made from clear hard coated polycarbonate
- Meets or exceeds EN 166:2001 CE marked
- Give 99.9% UV rays protection
- Meets high impact requirements of ANSI Z87.1-2001

Lens Colour Available:



CONSTRUCTION SITE



DUST SAND BLOWING

PFS 96G



AFS 96B

FACE SHIELD

Face shield mounted on Safety Helmet for face protection

- High impact resistant Visor
 - Visors are replaceable
 - Protective film on both side (Optional)
- Type:** Acrylic and Polycarbonate

Lens Colour Available:

**A I ASIAN
INTERNATIONAL**
PIONEERS IN SAFETY EQUIPMENTS



**HEARING
PROTECTION**

EAR PLUGS



SEP 102C



SEP 102



DISPOSABLE EAR PLUGS

DESCRIPTION	MODEL NO.
Disposable Ear Plugs PU foam type	SEP 102
Disposable Ear Plugs PU foam type with neck chord	SEP 102C

REUSABLE EAR PLUGS

DESCRIPTION	MODEL NO.
Reusable TPR Ear Plugs with neck chord	SEP 103RC

EARMUFFS



DESCRIPTION	MODEL NO.
Earmuff with single attachment point head band	SEM 100B



DESCRIPTION	MODEL NO.
Earmuff with double attachment point head band	SEM 112FL

A  **ASIAN**
 **I** **INTERNATIONAL**
PIONEERS IN SAFETY EQUIPMENTS

WE ARE ALWAYS AVAILABLE!!!

**Registered office : 26 Shakespeare Sarani,
Kolkata 700017**

Email : asianinternationalexports1@gmail.com

Contact : +91 9831266819, +91 8617748220